

# Handles and DoorPulls

Product overview



Reynaers  
Aluminium

Windows.  
Doors.  
Curtain Walls.

Together for better

[www.reynaers.com](http://www.reynaers.com)








## Helping you decide

The vast range of our products can be a bit overwhelming when decisions have to be made. This brochure gives a clear overview of the design families, applications, individual products and their features. Lockability, inside or outside use, and specific safety classifications can all be found in the tables on the right pages.

Your last decision is the colour and/or finish:

**Powdercoating** is available in the 400+ RAL colours with 4 variations in finishes or textures: gloss, matt, satin, coatex (textured). Textured paint has the benefit of being less sensitive to scratches.



We also offer 9 **anodised** colours, ranging from the lightest natural colour, over several shades of champagne, gold and bronze, all the way to black.



In both handles and door pulls we also offer a range of **stainless steel** finishes. This pure material has proven to be more hygienic in everyday use.



For projects, we also offer the possibility to add an **anti-microbial** coating to our handles. This can be combined with all available finishes, and does not affect its appearance.

For the surface treatment of the our handles, we collaborate with selected painting companies that strictly adhere to our standards. Some even comply with regulations like Qualicoat and Qualanod.



# Contour



## Modern safety

Contour is our new range of robust stainless steel handles in a fresh and modern design to meet even the stringest durability and safety demands. Contour is compatible with most systems and opening types such as SlimLine 38, MasterLine 8 and 10, ConceptPatio 130 and ConceptPatio 155 and MasterPatio.



## Material

Contour handles are made of stainless steel AISI 304 which is very durable and highly resistant to corrosion. The robust stainless steel in this handle range is not only protection from burglar attacks, the clean and pure material is easy to maintain, resistant to cleaning products, and therefore often the material of choice in demanding environments like hospitals. The fact that stainless steel is recyclable makes Contour handles a sustainable choice!

## Design

The Contour range meets all requirements for a modern or contemporary home. Their timeless design and high quality add value to the property and give a feel of luxury, without compromising on functionality.


## Safety

Contour handles contribute to your safety. Most of the handles have an SKG\*\* or even SKG\*\*\* classification and are applicable on Reynaers Certified RC2 systems, which means they are highly resistant against burglar attacks.



## Colours

AVAILABLE COLOURS



Contour handles are available in stainless steel only.



## A. Standard Handle



## AA. Standard Handle with Cylinder


















Available in standard and specific for tilt before turn.



# Features



		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
																
A	061.8961.-	√			√	√	√				√					
AA	061.8962.-		√		√	√	√				√					
AA	061.8963.-		√			√	√				√					
AA	061.8964.-		√		√		√				√					



A. Standard Handle



AA. Standard Handle with Cylinder



C. Fixed Knob



CC. Fixed Knob with Cylinder



F. Security Handle



FF. Security Handle with Cylinder



HH. Security Fixed Knob with Cylinder



### Accessories


















E. CYLINDER COVER

Separate cylinder cover available for Contour door and sliding elements handles.



# Features

		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
																
A	061.8940.-	√			√	√	√				√					
A	061.8922.-	√			√	√		√			√					
AA	061.8942.-		√		√	√	√				√					
AA	061.8924.-		√		√	√		√			√					
A	061.8929.-	√			√	√	√				√					
A	061.8930.-	√			√	√		√			√					
C	061.8925.-	√				√	√	√			√					
C	061.8926.-	√			√		√	√			√					
CC	061.8927.-		√			√		√			√					
CC	061.8928.-		√		√	√		√			√					
F	061.8931.-	√			√	√	√				√		√		√	√
F	061.8932.-	√			√	√		√			√		√		√	√
FF	061.8933.-		√		√	√	√				√		√		√	√
FF	061.8934.-		√	√	√	√		√			√		√		√	√
FF	061.8935.-		√		√	√		√			√		√		√	√
HH	061.8936.-		√	√		√		√			√		√		√	√
HH	061.8937.-		√	√	√			√			√		√		√	√
HH	061.8959.-		√			√		√			√		√		√	√
HH	061.8960.-		√		√			√			√		√		√	√
E	061.8938.-		√		√	√	√	√			√					

A. Standard Handle



AA. Standard Handle with Cilinder



Accessories



F. CYLINDER COVER

Separate cylinder cover available for Contour door and sliding elements handles. Combined with short faceplate.

G. Security Handle



GG. Security Handle with Cylinder



I. Security Fixed Handle


















II. Security Fixed Handle with Cylinder





# Features

		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
																
A	061.8940.-	√			√	√	√				√					
AA	061.8942.-		√		√	√	√				√					
A	061.8941.-	√			√	√		√			√					
AA	061.8943.-		√		√	√		√			√					
A	060.8929.-	√			√	√	√				√					
A	060.8930.-	√			√	√		√			√					
G	061.8944.-	√			√	√	√				√		√		√	√
G	061.8945.-	√			√	√		√			√		√		√	√
GG	061.8946.-		√		√	√	√				√		√		√	√
GG	061.8947.-		√	√	√	√		√			√		√		√	√
GG	061.8948.-		√		√	√		√			√		√		√	√
F	061.8938.-		√		√	√	√	√			√					
I	061.8949.-	√				√	√				√		√		√	√
I	061.8950.-	√			√		√				√		√		√	√
I	061.8951.-	√				√		√			√		√		√	√
I	061.8952.-	√			√			√			√		√		√	√
II	061.8953.-		√			√	√				√		√		√	√
II	061.8954.-		√		√		√				√		√		√	√
II	061.8955.-		√			√		√			√		√		√	√
II	061.8956.-		√		√			√			√		√		√	√
II	061.8957.-		√	√		√		√			√		√		√	√
II	061.8958.-		√	√	√			√			√		√		√	√

C. Security Handle



CC. Security Handle with Cylinder



D. Security Cup Handle





# Features

		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
																
CC	061.8967.-		√		√	√	√				√		√		√	
C	061.8968.-	√			√	√	√				√		√		√	
CC	061.8969.-		√		√	√		√			√		√		√	
C	061.8970.-	√			√	√		√			√		√		√	
CC	061.8971.-		√	√	√	√		√			√		√		√	
D	061.8972.-	√			√	√		√			√		√		√	

# Touch

## Timeless and versatile

Style and quality are combined in Touch, our trendsetting range of design hardware. Touch is sleek, elegant and slim hardware, suitable for windows, doors, sliding and folding doors.

The sleek design fits perfectly into modern homes, but also provides a stylish contrast in renovations.





## Material and finish

The Touch handles and cup handles are produced with carefully selected, high-end materials. Most handles can be powder coated in over 400 RAL-colours, in a matt, glossy or coatex surface finish or anodised in various tones. This way, we ensure a perfect match with the profiles of the window.

## Design

Style and quality are combined in Touch, a trendsetting range of design hardware from Reynaers Aluminium. Touch offers sleek, elegant and slim hardware, suitable for windows, doors, sliding and folding doors. The sleek design fits perfectly into modern homes, but also provides a stylish contrast in renovations.

## Safety

The Touch Security handles and cup handles are burglar proof. Door handles are fitted with a long shield in solid aluminium, making the cylinder almost impossible to access, and even harder to break.




## Colours

### AVAILABLE COLOURS




Anodized in 9 colours



Powder coated in one of our 400+ RAL-colours

**A. Standard Handle**



**AA. Standard Handle with Cylinder**




**AB. Standard Handle with push button**



Also available for ConceptFolding and outward opening windows

**B. Roseless Handle**



**BB. Roseless Handle with Cylinder**



**C. Reduced Handle**



**Accessories**


















**E. CYLINDER COVER**


Separate cylinder cover available for all Touch door handles.



# Features

		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
																
A	060.6455.XX	√			√	√	√		√	√						
A	060.6456.XX	√			√	√	√		√	√						
A	060.6459.PA	√			√	√	√			√						
AA	060.6461.PA		√		√	√	√			√						
C	060.6467.PA	√			√	√	√		√	√						
B	060.6450.PA	√			√	√	√			√						
B	060.6451.XX	√			√	√	√		√	√						
BB	060.6452.XX		√		√	√	√		√	√					√	√
BB	060.6453.XX		√		√		√		√	√						
BB	060.6454.XX		√			√	√		√	√						
AB	060.6462.PA		√		√	√	√			√						
E	061.6334.XX		√		√	√	√	√	√	√						


A. Standard Handle



AA. Standard Handle with Cylinder



B. Reduced Handle



BB. Reduced Handle with Cylinder



F. Security Handle



G. Reduced Security Handle



FF. Security Handle with Cylinder



GG. Reduced Handle with Cylinder




D. Cover Plate




DD. Cover Plate with Cylinder


















I. Security Cover Plate



II. Security Cover Plate with Cylinder



# Features

		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
																
A	061.6337.XX	√			√	√	√		√	√						
A	061.6338.XX	√			√	√		√	√	√						
AA	061.6335.XX		√		√	√	√		√	√						
AA	061.6336.XX		√		√	√		√	√	√						
A	061.6330.XX	√			√	√	√		√	√						
A	061.6331.XX	√			√	√		√	√	√						
B	061.6341.XX	√			√	√	√		√	√						
B	061.6342.XX	√			√	√		√	√	√						
BB	061.6339.XX		√		√	√	√		√	√						
BB	061.6340.XX		√		√	√		√	√	√						
B	061.6332.XX	√			√	√	√		√	√						
B	061.6333.XX	√			√	√		√	√	√						
D	061.6345.XX	√			√	√	√		√	√						
D	061.6346.XX	√			√	√		√	√	√						
DD	061.6343.XX		√		√	√	√		√	√						
DD	061.6344.XX		√		√	√		√	√	√						
F	061.6349.XX	√			√	√	√		√	√			√		√	
F	061.6350.XX	√			√	√		√	√	√			√		√	
FF	061.6347.XX		√		√	√	√		√	√			√		√	
FF	061.6348.XX		√		√	√		√	√	√			√		√	
GG	061.6351.XX		√		√	√	√		√	√			√		√	
GG	061.6352.XX		√		√	√		√	√	√			√		√	
G	061.6353.XX	√			√	√	√		√	√			√		√	
G	061.6354.XX	√			√	√		√	√	√			√		√	
I	061.6357.XX	√			√	√	√		√	√			√		√	
I	061.6358.XX	√			√	√		√	√	√			√		√	
II	061.6355.XX		√		√	√	√		√	√			√		√	
II	061.6356.XX		√		√	√		√	√	√			√		√	



**A. Standard Handle**



A. also available with short cover plate

**AA. Standard Handle with Cylinder**



**B. Reduced Handle**



B. also available with short cover plate

**BB. Reduced Handle with Cylinder**



**G. Security Handle**



**GG. Security Handle with Cylinder**



**H. Reduced Security Handle**



**HH. Reduced Security Handle with Cylinder**



**D. Cup Handle**



**K. Security Cup Handle**



**E/J. (Security) Cover Plate**



**EE/JJ. (Security) Cover Plate with Cylinder**



# Lift and slide doors

**A. Standard Handle**



**AA. Standard Handle with Cylinder**



**K. Security Cup Handle**



# Features

## Sliding Doors

		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
																
A	061.6337.XX	√			√	√	√		√	√						
A	061.6338.XX	√			√	√		√	√	√						
GG	061.6360.XX		√		√	√	√		√	√			√		√	
GG	061.6361.XX		√		√	√		√	√	√			√		√	
HH	061.6351.XX		√		√	√	√		√	√			√		√	
HH	061.6352.XX		√		√	√		√	√	√			√		√	
B	061.6363.XX	√			√	√		√	√	√			√		√	√
B	061.6363.XX	√			√	√		√	√	√						
D	061.6364.XX	√			√	√		√	√	√						
K	061.6370.XX		√		√	√		√	√	√						
E	061.6298.XX	√			√	√		√	√	√						
EE	061.6296.XX		√		√	√		√	√	√						

## Lift and Slide Doors

AA	061.6365.XX		√		√	√	√		√	√						
AA	061.6366.XX		√		√	√		√	√	√						
A	061.6367.XX	√			√	√	√		√	√						
A	061.6368.XX	√			√	√		√	√	√						
K	061.6369.XX	√			√	√		√	√	√					√	√

# Horizon

## Contemporary renovation

Looking for new horizons, that's the ultimate goal of just about everyone who starts building or renovating. The Horizon handles merge, almost invisibly, into a window. As a result, they fit perfectly with all possible architectural styles.

REYNERS





## Material

Horizon is built from molded or air pressed aluminium. By using pure material the handle range has a wider variety of finishes.

## Design

With a sleek design Horizon handles make the perfect combination for any window or door system.

## Installation

The Horizon range has been a consistent companion for Reynaers profiles throughout the years. This allround, low entry handle range has a solution for every opening type, whether it is as simple as a window or as specific as a panic door.




## Colours

### AVAILABLE COLOURS



Anodized in 9 colours



Powder coated in one of our 400+ RAL-colours

## A. Standard Handle



Also available for ConceptFolding  
and outward opening windows

## B. Roseless Handle



## BB. Roseless Handle with Cylinder



# Features



		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
																
A	061.6451.XX	√			√	√	√		√	√						
A	060.6543.XX	√			√	√	√		√	√						
A	060.6545.XX	√			√	√	√		√	√						
A	060.6546.XX	√			√	√	√		√	√						
B	061.6453.PA	√			√	√	√			√						
BB	061.6454.XX		√		√	√	√		√	√			√		√	√
BB	061.6454.XX		√		√		√		√	√						
BB	061.6464.XX		√			√	√		√	√						

**A. Standard Handle**



**AA. Standard Handle with Cylinder**



**B. Reduced Handle**



**BB. Reduced Handle with Cylinder**



**Accessories**



**E. CYLINDER COVER**

Separate cylinder cover available for all Horizon door handles.

**F. Security Handle**



**FF. Security Handle with Cylinder**



**G. Reduced Security Handle**



**GG. Reduced Handle with Cylinder**



**CC. Fixed Knob with Cylinder**


















**II. Security Cover Plate with Cylinder**





# Features

		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
																
AA	061.7130.XX		√		√	√	√	√	√	√						
AA	061.7140.XX		√		√	√		√	√	√						
AA	061.7480.XX		√		√	√	√		√	√			√		√	
AA	061.7481.XX		√		√	√		√	√	√			√		√	
A	061.7131.XX	√			√	√	√		√	√						
A	061.7141.XX	√			√	√		√	√	√						
A	061.7132.XX	√			√	√	√		√	√						
A	061.7142.XX	√			√	√		√	√	√						
BB	061.7139.XX		√		√	√		√	√	√						
B	061.7149.XX	√			√	√		√	√	√						
B	061.7136.XX	√			√	√	√		√	√						
BB	061.7134.XX		√		√	√	√		√	√						
BB	061.7144.XX		√		√	√		√	√	√						
GG	061.7482.XX		√		√	√	√		√	√			√		√	
GG	061.7483.XX		√		√	√		√	√	√			√		√	
G	061.7135.XX	√			√	√	√		√	√						
G	061.7145.XX	√			√	√		√	√	√						
B	061.7133.XX	√			√	√	√	√	√	√						
B	061.7143.XX	√			√	√		√	√	√						
CC	061.7485.XX		√		√			√	√	√			√		√	
CC	061.7484.XX		√			√		√	√	√			√		√	
II	061.7486.XX		√		√	√	√		√	√			√		√	
II	061.7487.XX		√		√	√		√	√	√			√		√	
E	061.6992.XX		√		√	√	√	√	√	√						

These are all handles for handle operated locks

**A. Standard Handle**



**AA. Standard Handle with Cylinder**



**B. Reduced Handle**



**BB. Reduced Handle with Cylinder**



**G. Security Handle**



**GG. Security Handle with Cylinder**



**H. Reduced Security Handle**



**HH. Reduced Security Handle with Cylinder**



# Lift and slide doors

**A. Standard Handle**


















**AA. Standard Handle with Cylinder**



**B. Cup Handle**



# Features

Sliding Doors		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
																
A	061.7130.XX		√		√	√	√	√	√	√						
A	061.7140.XX		√		√	√		√	√	√						
A	061.7132.XX	√	√		√	√	√		√	√						
A	061.7142XX	√	√		√	√		√	√	√						
AA	061.7139.XX	√			√	√	√		√	√						
AA	061.7149.XX	√			√	√		√	√	√						
B	061.7134.XX		√		√	√		√	√	√						
B	061.7144.XX	√			√	√		√	√	√						
B	061.7135.XX		√		√	√	√	√	√	√						
B	061.7145.XX		√		√	√		√	√	√						
B	061.7136.XX	√			√	√	√	√	√	√						
B	061.7133.XX	√			√	√		√	√	√						
BB	061.7143.XX	√			√	√		√	√	√						
BB	061.7480.XX	√			√	√		√	√	√						
BB	061.7481.XX		√		√	√	√	√	√	√						
GG	061.7131.XX		√		√	√	√		√	√					√	
GG	061.7141.XX		√		√	√		√	√	√					√	

## Lift and Slide Doors

A	062.7696.XX	√			√	√	√		√	√						
A	062.7697.XX	√			√	√		√	√	√						
AA	062.7694.XX		√		√	√	√		√	√						
AA	062.7695.XX		√		√	√		√	√	√						
B	062.7778.XX	√			√	√		√	√	√						

# Purity



## **Exclusive and elegant design**

For people who desire an ultimate design, we created a unique handle series, called Purity.

This series combines next-generation material and mechanical properties with the superior Italian design abilities of designer Leo De Carlo. Purity is innovative and distinctive in terms of material, design and installation.



## Material


Purity handles are made of a brand new material called PURA which is fully recyclable, 100% ecological, non-corrosive and anti-allergic. The unique BIOV or “Bioecologic Ion Overlay” process finishing is based on the deposition of gaseous metal ions, applied under vacuum. This coating is 100% ecological and recyclable which makes the handles extremely resistant against wear, very suited for aggressive environments and as an option even anti-bacterial. The combination of the material and surface treatment makes Purity a sustainable handle.

## Design

The Purity range is fully adapted to the use- and design needs of constructors. The result is a minimal, classical and rational design that will give the Reynaers systems a unique touch.

## Installation

We also provide the handles with their own unique next-generation installation mechanism. This mechanism slides over the square spindle of the doors or windows, and then snaps into place. Consequently, it ensures stronger fixation and allows the handle to return to the perfect position.



## Colours

### AVAILABLE COLOURS



Sapphire black  
ref: LBMA



Eclipse  
(ref: BLMA)



Moonlight white  
ref: WHMA



Lithium  
ref: STST

A. Design Handle



AA. Design Handle with Cylinder



B. Comfort Handle



BB. Comfort Handle with Cylinder



C. Reduced Handle




D. Design Handle Offset



E. Comfort Handle Offset



# Features



		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
A	161.7126.- 161.7124.PC 161.7100.PC	√			√	√	√					√				
AA	161.7103.PC		√		√		√					√	√	√	√	√
AA	161.7104.PC		√			√	√					√	√	√	√	√
B	161.7126.- 161.7124.PC 161.7110.PC	√			√	√	√					√				
BB	161.7113.PC		√		√		√					√	√	√	√	√
BB	161.7114.PC		√			√	√					√	√	√	√	√
C	061.7137.PC	√			√	√	√					√				
D	161.7126.- 161.7124.PC 161.7101.PC	√			√	√	√					√				
E	161.7126.- 161.7124.PC 161.7111.PC	√			√	√	√					√				

### A. Design Handle



AA. Design Handle with Cylinder also available

### B. Comfort Handle



BB. Comfort Handle with Cylinder also available

### C. Reduced Handle



### Accessories

2-4-6 mm

### F. PZ CYLINDER COVER



Separate cylinder cover available with PuRity design in different dimensions and cylinder types

### D. Design Handle Offset


















DD. Design Offset Handle with Cylinder also available

### E. Comfort Handle Offset





# Features

		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
																
A	161.7125.– 161.7124.PC 161.7100.PC	√			√	√	√	√				√				
AA	161.7469.PC 161.7100.PC		√		√		√	√				√	√	√	√	√
AA	161.7470.PC 161.7100.PC		√			√	√	√				√	√	√	√	√
B	161.7125.– 161.7124.PC 161.7110.PC	√			√	√	√	√				√				
BB	161.7469.PC 161.7110.PC		√		√		√	√				√	√	√	√	√
BB	161.7470.PC 161.7110.PC		√			√	√	√				√	√	√	√	√
C	161.7363.PC	√			√	√	√	√				√				
C	161.7364.PC	√			√	√	√	√				√				
D	161.7125.– 161.7124.PC 161.7101.PC	√			√	√	√	√				√				
DD	161.7469.PC 161.7101.PC		√		√		√	√				√	√	√	√	√
DD	161.7470.PC 161.7101.PC		√			√	√	√				√	√	√	√	√
E	161.7125.– 161.7124.PC 161.7111.PC	√			√	√	√	√				√				
E	161.7469.PC 161.7111.PC		√		√		√	√				√	√	√	√	√
E	161.7470.PC 161.7111.PC		√			√	√	√				√	√	√	√	√
F	061.7146.PC		√		√	√	√	√				√				
F	061.7147.PC		√		√	√	√	√				√				
F	061.7148.PC		√		√	√	√	√				√				

A. Design Handle



B. Comfort Handle



C. Design Handle Offset



D. Comfort Handle Offset



Accessories

2-4-6 mm

E. PZ CYLINDER COVER



Separate cylinder cover available with Purity design in different dimensions and cylinder types

# Lift and slide doors

# Folding doors

A. Design Handle



B. Comfort Handle



C. Cup Handle














A. Reduced Handle



# Features

## Sliding Doors

		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
																
A	161.7226.- 161.7124.PC 161.7100.PC	√			√	√	√	√				√				
B	161.7226.- 161.7124.PC 161.7110.PC	√			√	√	√	√				√				
C	161.7226.- 161.7124.PC 161.7101.PC	√			√	√	√	√				√				
D	161.7226.- 161.7124.PC 161.7111.PC	√			√	√	√	√				√				
E	061.7146.PC		√		√	√	√	√				√				
E	061.7147.PC		√		√	√	√	√				√				
E	061.7148.PC		√		√	√	√	√				√				

## Lift and Slide Doors

A	061.7105.PC		√		√	√	√	√				√				
A	061.7106.PC	√			√	√	√	√				√				
B	061.7115.PC		√		√	√	√	√				√				
B	061.7116.PC	√			√	√	√	√				√				
C	061.7112.PC	√			√	√	√	√				√				

## Folding Doors

A	061.7138.PC	√			√	√	√	√				√				
---	-------------	---	--	--	---	---	---	---	--	--	--	---	--	--	--	--

! Purity window configurations can be applied on the ConceptFolding range of folding window elements.  
See windows section for full overview (page 32)

! Purity door configurations can be applied in the ConceptFolding range of folding door elements.  
See doors section for full overview (page 34)

# Olimpo

## Affordable design

The Olimpo combines a distinct look with affordability. The smooth lines are available in lockable and standard variants, and can be enhanced by the many finishes available, which contribute to meet the highest quality and aesthetical requirements.





## Material


The Olimpo handle combines technical solutions of high quality with valuable materials. Available in a wide range of powder-coated, anodized and pvd finishes. Also available in the mill-finished version for an easy assembly with no need for any special tooling.



## Design

The smooth shape of the handles is enhanced by the many finishes available which contribute to meet the highest quality and aesthetical requirements.

Olimpo is available for most configurations in standard and lockable variants, and also includes a roseless design.




## Colours

### AVAILABLE COLOURS



Anodized in 9 colours



Powder coated in one of our 400+ RAL-colours

A. Standard Handle



A. Standard Handle with Cylinder



B. Roseless Handle



BB. Roseless Handle with Cylinder



C. Standard Fork Handle



C. Standard Fork Handle with Cylinder



# Doors

A. Standard Handle



# Features

## Windows

		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
																
B	060.8588.XX	√			√	√	√		√	√						
BB	060.8589.PA		√		√	√	√			√						
A	060.8586.XX	√			√	√	√			√						
AA	060.8587.XX		√		√	√	√		√	√						
C	060.8581.PA	√			√	√	√		√	√						
C	060.8583.PA	√			√	√	√			√						
CC	060.8582.PA		√		√	√	√			√						
CC	060.8584.PA		√		√	√	√			√						

## Doors

A	060.8585.XX	√			√	√	√	√	√	√						
---	-------------	---	--	--	---	---	---	---	---	---	--	--	--	--	--	--

A. Standard Handle



## Lift and slide doors

A. Standard Handle



AA. Standard Handle with Cylinder





# Features




## Sliding Doors

		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
A	060.8585.XX	√			√	√	√	√	√	√						

## Lift and Slide Doors

A	062.6651.PA	√			√	√	√	√		√						
AA	062.6652.PA		√		√	√	√	√		√						

# DoorPulls



## A great first impression

A door pull is mostly used for entrance doors. It plays a crucial part in the first impression someone has of the building, the first physical connection that is made before entering.



## Material

The door pulls are made of aluminium, with exception of the DoorPull Round, which is in stainless steel. This means our door pulls are available in every finish we have in our product range, as to complement your entrance doors perfectly.

## Design

We made sure that they are available in many design variations, making it easy to find the one that best fits the character of your project. Short or long, thick or thin, round or square, we have them in every imaginable finish. You can even integrate complementary products, like our fingerprint scanner.

The system design makes it possible to easily adjust the full door height profiles to the required length, considerably reducing the delivery times compared to bespoke solutions.

The door pulls range enables us to be your one-stop shop for entrance doors, the one place for buying all components from the system, over panels, to locks and hardware.



## Colours


### AVAILABLE COLOURS



Stainless steel (only for DoorPull Round)



Anodized in 9 colours



Powder coated in one of our 400+ RAL-colours

A. DoorPull Hook




300 mm  
4000 mm

B. DoorPull Round



300 mm  
-  
650 mm

C. DoorPull Square



2350 mm  
2750 mm  
3100 mm

D. DoorPull Fin



2500 mm  
3100 mm
















E. DoorPull Plus



2350 mm  
2750 mm  
3100 mm



# Features

		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
																
A	165.7555.XX	√			√	√	√	√	√	√			√	√		
A	408.7550.XX	√			√	√	√	√	√	√			√	√		
B	061.7500.-	√			√	√	√	√			√		√	√		
B	061.7502.-	√			√	√	√	√			√		√	√		
B	061.7504.-	√			√	√	√	√			√		√	√		
B	061.7506.-	√			√	√	√	√			√		√	√		
B	061.7508.-	√			√	√	√	√			√		√	√		
B	061.7510.-	√			√	√	√	√			√		√	√		
B	061.7512.-	√			√	√	√	√			√		√	√		
B	061.7514.-	√			√	√	√	√			√		√	√		
B	061.7516.-	√			√	√	√	√			√		√	√		
B	061.7518.-	√			√	√	√	√			√		√	√		
C/E	161.7500.XX	√			√	√	√	√	√	√			√	√		
C/E	161.7501.XX	√			√	√	√	√	√	√			√	√		
C/E	161.7502.XX	√			√	√	√	√	√	√			√	√		
D	408.7555.XX	√			√	√	√	√	√	√			√	√		
D	408.7556.XX	√			√	√	√	√	√	√			√	√		

A. Door Pull HiFinity



375 mm

B. Door Pull HiFinity Fin



4000 mm

# Features



		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
A	062.7775.XX	√			√	√	√	√		√			√			
A	062.7777.XX	√			√	√	√	√		√			√			
B	106.1340.XX	√			√	√	√	√	√	√			√			
B	106.1350.XX	√			√	√	√	√	√	√			√			



**Reynaers  
Aluminium**

Oude Liersebaan 266  
B-2570 Duffel

T +32 (0)15 30 88 10  
info@reynaers.com

[www.reynaers.com](http://www.reynaers.com)